

Specification Anemometer (S072)

Thermal Anemometer with temperature indication

Product Code: VTA888

The VTA888 thermal anemometer marks a step forward in the field of precision air flow measurement, particularly for very low velocity application.

Slim probe, ideal for grilles and diffusers

Combination of hot wire and standard thermistor delivers precise measurements even at low air velocity

Records Maximum and Minimum readings

Large LCD display, showing air velocity and temperature at the same time.

Multi-function air flow measurement: m/s, km/s, fl/min, MPH, Knots

Built in temperature measurement



Manufactured from durable, long lasting components, including a strong, lightweight ABS plastic housing case.

Probe extends to 1 metre for access to difficult-to-reach areas.

Sensor protection case.

Supplied with heavy duty carry case.

Functions

Backlit, Hold, Dif- Rec function

Technical Data

Range	0.1 ... 15m/s
Resolution	0.1 ... 15
Accuracy	+/-5%
Temperature	-10°C to +60°C
Sensor	Thermal wire, thermistor
Battery	9v
Dimensions	210 c 75 c 50mm + Probe
Weight	650g
Warranty	1 Year

This document was prepared on behalf of Klipspringer Ltd and the information included is to the best of our knowledge correct at the time of writing. Klipspringer offers the information within this document as a guide only, they do not represent any guarantee of the prescribed products in the sense of the legal guarantee regulations. It is the responsibility of the end user to ensure the items purchased are suitable for the intended application.

Supplier/Importer: Klipspringer Ltd
Address: Rynor House, Farthing Road, Ipswich, Suffolk, UK. IP1 5AP
Telephone: 0044 (0) 1473 461800
Email/Website: info@klipspringer.com / www.klipspringer.com
 Sheena Britton
 Technical Compliance Manager
 Klipspringer Ltd
 28-03-17



Date of issue	28-03-17	Revision No.	001	Revised by	SB
Authorised by	S. Britton	Document No.	S072	Page 1 of 1	