

## DECLARATION OF COMPLIANCE

### Detectable Brushware

Product Name	Product Code	Size	Bristle Type	Colour	DOC Material
Detectable Bannister Brush	B8133	340 x 35mm	Detectable Stiff	BL, RD, GN	Detectable PP / PBT
Detectable Bread Flour Brush	B8203	300mm	Detectable Stiff	BL	Detectable PP / PBT
Detectable Bread Brush, Long Handled	B8204	410mm	Detectable Stiff	BL	Detectable PP / PBT
Detectable Churn Brush	B8627	275mm	Detectable Stiff	BL	Detectable PP / PBT
Detectable Hand Scrub	B8632	210mm	Detectable Stiff	BL	Detectable PP / PBT
Detectable Sweeper	B8440	400mm	Detectable Stiff	BL, RD, GN	Detectable PP / PBT

This product complies with:

- **Regulation (EC) NO. 10/2011 (with amendments up to and including Commission and Regulation (EU) 2019/37).**
- **Regulation (EC) NO. 1935/2004 (as amended).**
- **Regulation (EC) NO. 2023/2006 (as amended).**

This Masterbatch complies with resolution AP 89(1).

This brush has been produced with monomers, if other substances have been used, they are authorised under Regulation (EC) 10/2011.

A risk assessment has been used for one or more colours according to Article 19 of Regulation (EC) No. 10/2011.

Compliance with overall and specific migration limit:

- **The results for overall migration are below the threshold value of 10 mg/ dm<sup>2</sup>.**
- **The results for specific migration are below the specific migration limit.**

This product contains dual use additives which have been intentionally added.

These added substances are in accordance with the Regulations:

- **(EC) 1333/2008**
- **(EC) 1334/2008**
- **Pigments in the Masterbatch comply with the resolution AP 89(1)**

## FDA Compliance

Raw materials in this brush are in compliance with Food and Drug Administration (FDA):

- **FDA 21 CFR, Part 170 – 199.**

Dual additives and Polymers are in compliance with:

- **FDA 21 CFR Part\_ 174, 175, 176, 177, 178, 181, 182, 184 or 186.**

Polypropylene in this product are in compliance with:

- **FDA 21 CFR 177.1520**

Pigments used in the Masterbatch (colour) are listed under the FDA 21 CFR 178.3297

## Migration Tests

Test has been made from this product or products identical to this one, which mean products containing the exact same composition as the tested product will be seen as equals.

Products has been tested for overall migration according to the test conditions set by the EU – regulations 10/2011 for which the products comply with the overall migration limit of 10mg/dm<sup>2</sup> or 60 mg/kg.

Overall migration test condition is OM2 (10 days at 40 °C).

Food simulants used for overall migration were:

- **Olive oil**
- **3% acetic acid**
- **10% Ethanol**

Products are also in compliance with test conditions of specific migration. Restrictions have been applied through calculation, simulation or testing.

**Types of food contact:** This product is suitable for several different types of food when used as intended and under foreseeable conditions of use.

Suitable food contact types:

- **Fatty**
- **Alcoholic**
- **Aqueous**
- **Dry**
- **Acidic**

We recommend that usage time, temperature of food contact condition does not exceed 80 °C for 30 minutes.

For non-food contact:

- **Minimum temperature: -20 °C**
- **Maximum temperature: 100 °C**

**Glass/Fork:** Fulfil the rules to be marked with the glass/fork symbol.

**Before use:** It is recommended to clean, disinfect and/or sterilise the article before use.

**After use:** Clean, disinfect (tolerates all approved disinfectants) and sterilise the article after use according to the appropriate to its intended use, using the correct chemical, concentration, time and temperature. Sterilise in an autoclave max temp. 120°C (max temp for cleaning the article 134°C).

***This certificate was prepared on behalf of Klipspringer Ltd and the information included is to the best of our knowledge correct at the time of writing. Klipspringer offers the information within this document as a guide only, they do not represent any guarantee of the prescribed products in the sense of the legal guaranteed regulations. It is the responsibility of the end user to ensure the items purchased are suitable for the intended application.***

Supplier/Importer	Klipspringer Ltd
Address	Rynor House, Farthing Road, Ipswich, Suffolk, UK. IP1 5AP
Telephone	+44 (0) 1473 461 800
Email	sales@klipspringer.com
Website	www.klipspringer.com

**Declaration of compliance in line with Annex 4 10/2011/EC**

Sheena Britton Technical Compliance Manager Klipspringer 25-08-2021		Date of Issue	25/08/21
		Authorised by	S. Britton
		Revision No.	004
		Revised by	S. Britton