

DECLARATION OF COMPLIANCE

Hygiene Sweepers and Lobby Brushes

Product Name	Product Code	Filament	Size	Colour	DOC Material
Sweeper	B1340	Extra Soft	400mm	WT, BL, RD, YL, GN, OR, PU	PP/PBT
Sweeper	B1030	Soft Flagged	280mm	WT, BL, RD, YL, GN	PP/PBT
Sweeper	B1040	Soft Flagged	400mm	WT, BL, RD, YL, GN	PP/PBT
Sweeper	B1160	Soft Flagged	600mm	WT, BL, RD, YL, GN	PP/PBT
Sweeper	B1240	Soft/Medium	400mm	WT, BL, RD, YL, GN, BK, OR, PU, GY, BN, PK	PP/PBT
Sweeper	B1330	Soft/Medium	300mm	WT, BL, RD, YL, GN	PP/PBT
Sweeper	B1350	Soft/Medium	500mm	WT, BL, RD, YL, GN	PP/PBT
Sweeper	B1360	Soft/Medium	600mm	WT, BL, RD, YL, GN, OR, PU, BK, YL-BL	PP/PBT
Sweeper	B1430	Medium/Stiff	300mm	WT, BL, RD, YL, GN	PP/ PBT
Sweeper	B1440	Medium/Stiff	400mm	BK, BL, BN, GN, OR, GY, PK, PU, RD, WT, YL, BK-RD, BL-BK, OR-BK, YL-BK	PP/ PBT
Sweeper	B1450	Medium/Stiff	500mm	WT, BL, RD, YL, GN	PP/ PBT
Sweeper	B1460	Medium/Stiff	600mm	BK, BL, GN, OR, PU, RD, WT, YL, YL-BK	PP/ PBT
Combination Sweeper	B1140	Medium/Stiff	400mm	WT, BL, RD, YL, GN, OR, PU, GY, BN	PP/PBT
Upright Sweeper	B24147	Soft/Medium	280mm	BL, RD, GN, YL, OR, PU, BK, WT, GY, BN	PP/PBT
Upright Sweeper	B24157	Medium/Stiff	280mm	WT, BL, RD, YL, GN, OR, PU, GY, BN	PP/PBT
Upright Sweeper	B25147	Soft/Medium	400mm	WT, BL, RD, YL, GN, OR,	PP/PBT
Upright Sweeper	B25157	Medium/Stiff	400mm	BL, RD, YL, GN	PP/PBT
Angled Lobby Brush	B1970	Medium/Stiff	270mm	WT, BL, RD, YL, GN, BK, OR, PU, GY, BN	PP/PBT
Lobby Brush	B1965	Medium/Stiff	270mm	WT, BL, RD, YL, GN	PP/PBT

Brush Block: Polypropylene grade (98%) - master batch (2%); White, Blue, Red, Yellow, Green, Black, Orange, Purple, Brown, Grey and Pink.

Filaments: Polyester PBT (Polybutyleneterephthalate).

Wire Staple: Stainless steel (AISI 304).

We confirm that the above-mentioned products fulfil the requirements on materials and articles used for food contact as described in the European Regulation 10/2011/EC as amended up to and including 202/2014/EC. The master batches are furthermore in compliance with European Resolution Res AP (89) 1.

Substances used for the manufacturing of the products are all listed in Annex I of Regulation 10/2011/EC as amended up to and including 202/2014/EC. The products contain substances restricted by specific migration limits as defined in Regulation 10/2011/EC Annex I. The products have been tested for overall and specific migration according to the specifications in Regulation 10/2011/EC as amended up to and including 202/2014/EC. Both overall and specific migration limits are complied with when the products are used as specified.

The products can be used for contact with all kinds of foodstuffs at maximum 40°C for a maximum of 1 hour.

The following substances also authorised as direct food additives (dual use additives) are present in the products:

- **Ref no. 24550, Stearic Acid**
- **Ref no. 56585, Glycerol, Esters with Stearic Acid**
- **Ref no. 92080, Talc**
- **Ref no. 93440, Titanium Dioxide**
- **Ref no. 46640, BHT**

Furthermore, the various colours of injection moulded plastic contain the following dual use additives:

- **White, Blue, Yellow, Green, Purple and Grey:** TiO₂ and Calcium Stearate
- **Red and Orange:** TiO₂, CaCO₃ and Calcium Stearate
- **Brown:** RiO₂, Iron Oxide and Calcium Stearate

The products do not contain a functional barrier as defined in Regulation 10/2011/EC as amended up to and including 202/2014/EC.

The items do not apply any danger to health or environment according to article 3 in Framework Regulation 1935/2004/EC. The items are manufactured according to Regulation 2023/2006/EC on good manufacturing practice. The items comply with current EU-legislation on plastic materials and articles intended for food contact as described in EC Regulation 10/2011/EC as amended up to and including 202/2014/EC and the Danish executive order no. 822 of 26/06/2013.

FDA (American Food and Drug Administration): All raw materials are in compliance with FDA-CFR 21 / Food code 2009.

EU regulations: Made in accordance with EU regulations; 10/2011/EC as amended up to and including 202/2014/EC, 1935/2004/EC, 2023/2006, 579/2011/EC. EU directive; 93/43/EEC.

Glass/Fork: Fulfil the rules to be marked with the glass/fork symbol.

Before use: It is recommended to clean, disinfect and/or sterilise the article before use.

After use: clean, disinfect (tolerates all approved disinfectants) and sterilise the article after use according to the appropriate to its intended use, using the correct chemical, concentration, time and temperature. Sterilise in an autoclave max temp. 120°C (max temp for cleaning the article 134°C).

N.B. This DOC is from a migration-only perspective; please be aware that the Soft Flagged bristle finish may pose a foreign body risk and as such Klipspringer does not recommend that this type of bristle finish is used in direct contact with food items. It remains the sole responsibility of the user to validate the suitability of the product for your application; Klipspringer Ltd accept no responsibility or liability.

This certificate was prepared on behalf of Klipspringer Ltd and the information included is to the best of our knowledge correct at the time of writing. Klipspringer offers the information within this document as a guide only, they do not represent any guarantee of the prescribed products in the sense of the legal guarantee regulations. It is the responsibility of the end user to ensure the items purchased are suitable for the intended application.

Supplier/Importer	Klipspringer Ltd
Address	Rynor House, Farthing Road, Ipswich, Suffolk, UK. IP1 5AP
Telephone	+44 (0) 1473 461 800
Email	sales@klipspringer.com
Website	www.klipspringer.com

Declaration of compliance in line with Annex 4 10/2011/EC

Sheena Britton Technical Compliance Manager Klipspringer 12-05-2021		Date of Issue	12-05-2021
		Authorised by	S. Britton
		Revision No.	007
		Revised by	S. Britton